

Table of Contents

CHAPTER I. VELOCITY

- I.1. Light-in-Flight holography with switched reference beams for cross-correlation in deep volume PIV
S. F.Herrmann, M. Geiger, K. D. Hinsch and J. Peinke
- I.2. 3D-PTV experiments of anomalous, steady transport of a conservative tracer in porous media
A. Cenedese, J.H. Cushman and M. Moroni
- I.3. Investigation of the spatio-temporal flow structure in the log-law region of a turbulent boundary layer by means of multi-plane stereo particle image velocimetry
C. J. Kähler, M. Stanislas, T. Dewhirst and J. Carlier
- I.4. 3-Component Doppler laser-two-focus velocimetry applied to a transonic centrifugal compressor
W. Förster, G. Karpinsky, H. Krain, J. Röhle and R. Schodl
- I.5. Two-point chirp laser Doppler velocimeter using a powerful fibre-coupled green Nd:YAG ring laser
J. Czarske
- I.6. Maximum likelihood approaches for sound field measurement using LDV
C. Mellet and J.-C. Valière

CHAPTER II. SCALAR

- II.1. Experimental investigation of heat transfer phenomena during direct contact condensation in the presence of non condensable gas by means of linear raman spectroscopy
M. Goldbrunner, J. Karl and D. Hein
- II.2. On the accuracy of scalar dissipation measurements by laser Rayleigh scattering
P. Ferrão, M. V. Heitor and R.. Salles

II.3. Demonstration of the applicability of a Background Oriented Schlieren (BOS) method

H. Richard, M. Raffel, M. Rein, J. Kompenhans and G.E.A. Meier

II.4. Transient temperature measurement of unburned gas using optic heterodyne interferometry

N. Kawahara, E. Tomita and H. Kamakura

CHAPTER III. MULTI-PHASE

III.1. Generic formulation of a generalized Lorenz-Mie theory for pulsed laser illumination

G. Gouesbet, L. Mees and G. Grehan

III.2. Measurement and prediction of the gaussian beam effect in the phase Doppler technique

A. Araneo, D. Damaschke, and C. Tropea

III.3. Measurements of spray flow by an Improved Interferometer Laser Imaging Droplet Sizing (ILIDS) system

T. Kawaguchi, T. Kobayashi and M. Maeda

III.4. Two-dimensional imaging of sizes and number densities of nanoscaled particles

H. Geitlinger, B. Jungfleisch, T. Lehre, T. Streibel, R. Suntz and H. Bockhorn

III.5. Simultaneous measurement of velocity and particle size profiles with the reference beam technique

M. Borys, V. Strunck, H. Muller and D. Dopheide

III.6. Instantaneous whole field measurement of velocity and size of air microbubbles in two-phase flows using DDPIV

F. Pereira, M. Gharib, D. Dabiri, and D. Modarress

III.7. Liquid PIV measurements around a single gas slug rising through stagnant liquid in vertical pipes

S. Nogueira, I. Dias, A.M.F.R. Pinto and M.L. Riethmuller

III.8. PIV applied to landslide generated impulse waves

H. M. Fritz

CHAPTER IV. TURBULENT FLOWS

IV.1. Behaviour of trailing vortices in the vicinity of the ground

G. Pailhas, X. Saint Victor and Y. Touvet

IV.2. Investigation of the mixing process in an axisymmetric turbulent jet using PIV and LIF

C. Fukushima, L. Aanen and J. Westerweel

IV.3. LDA- measurements of jets in crossflow for effusion cooling applications

K.M. B. Gustafsson

IV.4. Characterisation of confinement and impingement effects on the near field of axisymmetric jets

I. Serres, C. Chauveau, B. Sarh, and I. Gökalp

IV.5. PIV measurements in a co-flowing jets subjected to axial forcing: vorticity and strain field structure

U. Ruiz-Rivas, A. Lecuona, P. Rodriguez and J. Nogueira

IV.6. Laser-optical observation of chaotic mixing structure in a stirred vessel

T. Makino, T. Kaise, N. Ohmura and K. Kataoka

IV.7. Stereoscopic PIV measurement of a lobed jet mixing flow

H. Hu, T. Saga, T. Kobayashi and N. Taniguchi

IV.8. Point and planar LIF for velocity-concentration correlations in a jet in cross flow

K. E. Meyer, O. Özcan and P. S. Larse

IV.9. Structure of wall-eddies at $Re_{\tau} \approx 10^6$

S. E. Himmema and R. J. Adrian

CHAPTER V. COMBUSTION AND ENGINES

V.1. Computer tomography of infra-red absorption and its application to internal-combustion engines

H. Kawazoe and J. H. Whitelaw

V.2. A sensor for measuring CO₂ gas temperature and concentration using 2? m DFB semiconductor laser

Y. Ikeda, G-M. Choi, D-H. Chung, K. Fukuzato and T. Nakajima

V.3. Measurement of instantaneous 2-D velocity field and local chemiluminescence in a premixed-spray flame by PIV and MICRO system

S. Tsushima, M. Negoro, H. Saitoh, M. Fuchihata, F. Akamatsu and M. Katsuki

V.4. Phase discrimination inside a spray: LDV measurements using fluorescent seeding particles (FLDV)

G. Rottenkolber, R. Meier, O. Schäfer, S. Wachter, K. Dullenkopf and S. Wittig

V.5. Effect of strain rate on NO_x reduction in an opposed impinging jet flame combustor

S. Lim, Y. Yoon, C. Lee and I. S. Jeung

V.6. Fluid image velocimetry of the flow in the recirculation zone of a bluff body stabilized and controlled burner

B. Golovanevsky and Y. Levy

Author Index